

Guardian Angel™

WINDOW GUARDS



**Protect Your Children
Against Dangerous Falls**

**With a Guardian Angel
Window Guard**

Your Child's Safety Comes First with a Guardian Angel

Features:

- Durable steel construction designed to withstand 150 pounds of pressure
- 4-inch spacing between bars prevents children from crawling through
- Installs easily and securely into window frame with just a ruler and screwdriver
- Removes quickly and easily with emergency release buttons
- Compatible with most window styles - including double hung, casement, and sliding windows
- Elegant and discreet appearance
- Lifetime warranty

Contact a Guardian Angel Sales Associate to receive more information.

**Call 1-800-445-2370.
Or visit www.auspin.com.**

Guardian Angel. The Leading Choice for Window Fall Prevention.



Guardian Angel Gives You Peace of Mind

Thousands of Guardian Angel Window Guards have been installed in homes, apartments, daycare centers, and schools across the country. Parents and caregivers have chosen the Guardian Angel because of its durable steel construction and easy removal in case of an emergency. No extra tools or force are needed.

It Only Takes Seconds for a Fall to Occur

A child can fall from an open window in the blink of an eye. Don't take a risk and let your windows go unprotected. Install a Guardian Angel Window Guard today.


**Contact a Guardian Angel Sales Associate
to receive more information.**

**Call 1-800-445-2370.
Or visit www.auspin.com.**

Guardian Angel fits most window styles, including casements.



Measuring Instructions Double Hung Windows



1. Measure the width inside of the window frame.
2. Measure the depth of the window frame where the posts will be mounted (inside right and left sides of window frame).

*If the depth of your window frame measures less than $\frac{3}{4}$ inches, the guard will need to be mounted on the outside of the window frame. Add at least $1\frac{1}{2}$ inches to the window frame width measurement. The extra $1\frac{1}{2}$ inch is the width of both side posts.

3. Measure the height of the window opening with the window fully open.


*If the top window panel also opens, and it can't be secured, the entire window must be guarded. Follow the measuring instructions for sliding & casement windows. If the height of your window's opening measures more than $21\frac{3}{8}$ inches, a window stop should be used to prevent the window from opening above the guard.

4. Complete the measurements chart below for each window and present it to your Guardian Angel Sales Associate.

Double Hung Window Measurements:

Window 1	Width _____ inches	Height (of opening) _____ inches
Window 2	Width _____ inches	Height (of opening) _____ inches
Window 3	Width _____ inches	Height (of opening) _____ inches
Window 4	Width _____ inches	Height (of opening) _____ inches
Window 5	Width _____ inches	Height (of opening) _____ inches

Measuring Instructions Sliding & Casement Windows



1. Measure the height inside of the window frame.
2. Measure the depth of the window frame where the posts will be mounted (top and bottom).
*If there are shades, blinds, etc. mounted in the frame that may interfere with the guard, or if the depth of your window frame measures less than $\frac{3}{4}$ inches, mount the guard on the outside of the window frame. Add at least $1\frac{1}{2}$ inches to the window frame height measurement. The extra $1\frac{1}{2}$ inch is the width of both end posts.
3. Measure the width of the window opening. For single sliders, slide the window fully open and measure the opening. For double sliders and casement windows, measure the entire window opening.
4. Complete the measurements chart below for each window and present it to your Guardian Angel Sales Associate.

Sliding/Casement Window Measurements:

Window 1	Height _____ inches	Width (of opening) _____ inches
Window 2	Height _____ inches	Width (of opening) _____ inches
Window 3	Height _____ inches	Width (of opening) _____ inches
Window 4	Height _____ inches	Width (of opening) _____ inches
Window 5	Height _____ inches	Width (of opening) _____ inches

⚠️ WARNING

- Before installation, verify local building and fire codes are not being violated.
- This window guard is intended to protect against potential falls by children age 5 and under.
- Window guard must be installed in solid frame material or stud for proper operation.
- There should be no more than a 4-inch opening anywhere in the guarded area.
- Failure to follow all manufacturer's installation and safety instructions may reduce the effectiveness of this product and increase the risk of accidental window falls.
- This product is not intended as a substitute for proper adult supervision.
- Guardian Angel Window Guards are not meant to protect children from intruders.

Automatic Specialties, Inc. located in Marlboro, Massachusetts, has been providing quality products for over 30 years. Automatic Specialties stands behind its workmanship and is dedicated to providing the utmost in customer satisfaction. That's why we offer a lifetime warranty on all Guardian Angel Window Guards.

**Contact a Guardian Angel Sales Associate
to receive more information.
Call 1-800-445-2370.
Or visit www.auspin.com.**



Conforms to American Society for Testing and Materials (ASTM) Standard F2090-01a, Window Fall Prevention Devices with Emergency Escape Release Mechanisms.

Made in the U.S.A.

© 2002. Automatic Specialties, Inc. Guardian Angel is a trademark of Automatic Specialties, Inc.
US Patent Number 6,141,912